

1. Particulars of ship channels

No.	Ship channel	Channel breadth, m	Max vessels draught, m	Max vessels length (LOA), m	Remarks
1.	Buoy “B” up to breakwaters	120	15.0	260/300 ¹	¹ For passenger vessels with draft allowed
2.	Breakwaters up to berth ZO-18	100	15.0	260/300 ¹	
3.	Berth ZO-18 up to berth KRS-4	100	14.8	260/300 ¹	
4.	Berth KRS-4 up to berth KS-29	100	13.2	260/300 ¹	
5.	Berth KS-29 up to berth EO-14	100	12.3	260/300 ¹	
6.	Berth EO-14 up to Mouth of Eksportosta	120	10.0	230/300 ¹	
7.	Mouth of Eksportosta up to berth MK-4	120	8.7	300 ¹	
8.	Milgravis Channel up to Sarkandaugava Channel	80	9.0/7.7 ²	190/230 ²	² Ships proceeding for repairs
9.	Milgravis Channel up to berth JM-26/RKR-7	-	9.0/7.7 ²	190/230 ²	
10.	Sarkandaugava Channel up to berth SD-3	80	9.0	190	

1. Max vessel's draft indicated at Mean Sea Level.
2. Depending on actual water level max vessel's draft may differ from what is indicated in the table.
3. Vessel's movement in/out from Eksportosta, Pilmuiza, Kremeri, Zvejas osta and Daugavgriva basins may be restricted if current velocity in river Daugava exceeds 1.5kts. The decision shall be taken on case by case basis taking into account all factors affecting safe navigation.
4. Any changes to the Addendum 2 shall be done by order of the harbour master only.

2. Particulars of commercial berths

No.	Port area	Berths		Max vessels		Number and date of harbour masters order	Remarks
		Number	Length, m	Draft, m	LOA, m		
1	2	3	4	5	6	7	8
1.	MUITAS KRASTMALA	MK-3	240,00	8,7	300,0	Nr.KR/97, 08.05.2023	Vessel with draft exceeding 7,0m is not to be moored closer than 60m from berth's MK-4 South end.
2.		MK-4	226,80	8,7	300,0		
3.	JŪRAS PASAŽIERU STACIJA	JPS-1	132,00	7,6	110,0	Nr.KR/66, 05.05.2022	Vessels up to LOA 280m are allowed to berth at JPS-1/JPS-2.
4.		JPS-2	217,00	7,6	180,0		
5.	ANDREJOSTA	AO	112,00	-	-	Nr.KR/20, 26.01.2021	Mooring of vessels is not allowed.
6.		AO-1	64,60	-	-		
7.		AO-2	135,00	-	-		
8.	ANDREJSALA	AS-3	120,00	7,7	100,0	Nr.KR/203, 27.12.2021	Ro-Ro and Passenger vessels only with LOA up to 155m are allowed to berth at AS-3/AS-4 provided that no more than 60m of adjacent berth AS-4 is used. Permission to berth the vessel to be obtained from Freeport of Riga Authority in advance
9.		AS-4	119,00	7,7	-		
10.		AS-5	144,00	-	-	Nr.KR/167, 12.10.2021	The operation of the berth is suspended indefinitely.
11.	EKSPORTOSTA	EO-6	240,00	10,0	200,0	Nr.KR/239, 19.12.2022	1. Ro-Ro and Passenger vessels only are allowed to berth at EO-6. 2. Vessels up to LOA 230m are allowed to berth at EO-6 if no more than 50m of berth EO-7 is used, draft in this case 10.0m. 3. In cases when berth EO-7, EO-8 or both are occupied with vessels permission to berth/unberth the vessel to be obtained from harbour master in advance.
12.		EO-7	190,00	8,5	170,0	Nr.KR/230, 14.12.2022	1. Vessels up to LOA 230m are allowed to berth at EO-7/EO-8, draft in this case not to exceed 8.5m. 2. In case vessel is berthed at 6m wide floating pontoons draft increases to 10.0m. 3. Storage and/or handling of coal cargoes at berths EO-7 and EO-8 is forbidden. 4. Neither handling nor open storage of bulk or liquid cargoes are allowed at berths EO-7 un EO-8.
13.		EO-8	188,50	8,5	150,0		
14.		EO-9	130,00	6,9	120,0	Nr.5, 20.01.2020	1. Vessels up to LOA 170m are allowed to berth at EO-9/EO-10. 2. Storage and/or handling of coal cargoes at berths EO-9 and EO-10 is forbidden. 3. Neither handling nor open storage of bulk or liquid cargoes are allowed at berths EO-9 un EO-10.
15.		EO-10	150,00	6,9	130,0		
16.		EO-11	140,00	6,9	120,0	Nr.6, 20.01.2020	1. Vessels up to LOA 170m are allowed to berth at EO-11/EO-12. 2. Storage and/or handling of coal cargoes at berths EO-11 and EO-12 is forbidden.
17.		EO-12	159,00	6,9	130,0		
18.		EO-14	210,00	12,3	200,0	Nr.7, 20.01.2020	1. Vessels up to LOA 260m are allowed to berth at EO-14/EO-15. 2. Max draft is restricted to 12.0m for vessels to be swung around. 3. Storage and/or handling of coal cargoes at berths EO-14 and EO-15 is forbidden.
19.		EO-15	212,00	12,3	200,0		

20.	PĪLMUIŽAS BASEINS	PM-16	145,80	10,0	125,0	Nr.8, 20.01.2020	1. Vessels up to LOA 230m are allowed to berth at PM-16/PM-17. 2. In cases when berth PM-19 or PM-20 or PM-21 are occupied with vessels permission to berth/unberth the vessel to be obtained from harbour master in advance. 3. Storage and/or handling of coal cargoes at berths PM-16 and PM-17 is forbidden.
21.		PM-17	150,00	10,0	125,0		
22.		PM-18	103,00	8,5	80,0	Nr.9, 20.01.2020	Storage and/or handling of coal cargoes at berths PM-18 is forbidden.
23.		PM-19	170,90	10,0	150,0	Nr.10, 20.01.2020	1. Vessels up to LOA 200m are allowed to berth at PM-19. For vessels with LOA over 150m berthing to be aligned with berth's PM-20 operator in advance. 2. In cases when berth PM-16 or PM-17 or PM-20 are occupied with vessels permission to berth/unberth the vessel to be obtained from harbour master in advance. 3. Generally berthing port side alongside. 4. Storage and/or handling of coal cargoes at berths PM-19 is forbidden.
24.		PM-20	217,75	10,0	180,0	Nr.11, 20.01.2020	1. Vessels up to LOA 230m are allowed to berth at PM-19/PM-20. For vessels with LOA over 180m berthing to be aligned with berth's PM-19 operator in advance. 2. In cases when berth PM-16 or PM-17 or PM-19 or PM-21 are occupied with vessels permission to berth/unberth the vessel to be obtained from harbour master in advance. 3. Storage and/or handling of coal cargoes at berths PM-20 is forbidden.
25.		PM-21	349,13	11,9	230,0	Nr.12, 20.01.2020	1. Vessels up to LOA 260m are allowed to berth at PM-21. 2. For vessels with LOA over 230m max sailing draft to be agreed with harbour master in advance. 3. Storage and/or handling of coal cargoes at berths PM-21 is forbidden.
26.	KUNDZIŅSALA	KS-28	140,00	11,9	230,0	Nr.13, 20.01.2020	1. Vessel in ballast condition to be berthed stbd side alongside. 2. For vessels with LOA over 180m, head and stern lines by mooring boat.
27.		KS-29	330,00	13,1	230,0	Nr.13, 07.01.2019	1. Vessels with DW up to 60000t are allowed to berth at KS-29/30. 2. Ship's coming to discharge cargo with LOA over 200m and draft over 12.0m to be berthed port side alongside. Vessels with LOA over 200m draft of which after loading to exceed 12.0m to be berthed stbd side alongside.
28.		KS-30	330,00	13,1	230,0		
29.		KS-32	150,00	11,7	130,0	Nr.7-1/7, 20.12.2024	Vessels up to LOA 260m are allowed to berth at KS-32/KS-33/KS-34 when it is used as one.
30.		KS-33	150,00	11,7	130,0		
31.		KS-34	206,30	11,7	180,0		
32.		KS-36A	119,40	13,2	195,0	Nr.KR/7, 14.01.2022	1. Vessels with DW up to 58000t are allowed to berth at KS-36A. Vessels with DW up to 63300t are allowed to berth at KS-36A if wind speed is not exceeding 12m/s. 2. Headlines and stern laines by mooring boat.
33.		KS-36	210,00	7,4	123,0	Nr.7-1/6, 14.11.2024	1. Only vessels equipped with bow thruster or twin screw ships are allowed to berth at KS-36. 2. Tug's assistance for berthing/unberthing is compulsory if wind velocity exceeds 10m/s and/or current in Daugava river exceeds 1,5kts. 3. Vessels with DW up to 8000t are allowed to berth at KS-36. 4. Vessels with beam up to 16.5m are allowed to berth at KS-36. 5. Berthing port side alongside.
34.	SARKANDAUGAVA	SD-3	150,00	9,0	140,0	Nr.KR/32 28.01.2021	When also berth SD-4 is used for mooring, vessels up to LOA 190m are allowed to berth at SD-3. For vessels with LOA over 140m berthing/unberthing conditions to be agreed with harbour master in advance.
35.		SD-4	103,30	7,8	110,0		Vessels up to LOA 130m are allowed to berth at SD-4/SD-5. For vessels with LOA over 85m berthing to be aligned with berth's SD-5 operator in advance.
36.		SD-5	219,76	9,0	170,0	Nr.KR/28, 27.01.2021	Vessel is not to be berthed closer than 15m to the berth's NE end.

37.	DAUDERSALA	DS-9	105,00	4,8	90,0	Nr.14, 20.01.2020	Vessels up to LOA 130m are allowed to berth at DS-9/DS-10.
38.		DS-10	100,00	5,0	90,0		
39.		DS-11	85,00	3,5	50,0	Nr.15, 20.01.2020	For port auxiliary fleet only.
40.		DS-12	150,00	2,0	30,0		
41.	JAUNMĪLGRĀVIS	JM-15A	193,00	7,5	120,0	Nr.19, 07.01.2019	1. Berthing port side alongside to barge “ALTONA”. 2. Tug's assistance for berthing/unberthing is compulsory if wind velocity exceeds 10m/s. 3. Vessels bow no to overhang barge “ALTONA” for more than 10m.
42.		JM-15	181,00	9,0	170,0		1. Vessels up to 30m of beam are allowed to berth at JM-15. 2. Vessel is moored alongside barge “PUP-1” and/or “EVA”.
43.		JM-16	147,60	8,6	150,0	Nr.16, 20.01.2020	1. Vessel shall not be positioned over the berth's SW corner. 2. Vessel is moored to three 6m wide floating pontoons.
44.		JM-17	129,00	5,4	100,0	Nr.23, 13.10.2014	-
45.		JM-20	60,00	3,8	80,0	Nr.17, 20.01.2020	For port service vessels only.
46.		JM-22	125,00	9,0	105,0	Nr.20, 07.01.2019	1. Vessels up to LOA 200m are allowed to berth at JM-22/JM-23. 2. For vessels to be discharged with LOA >120m – stbd side alongside. For vessels to be loaded with LOA >120m – port side alongside.
47.		JM-23	130,50	9,0	115,0		
48.		JM-25A	66,63	5,5	90,0	Nr.KR/17, 26.01.2021	Simultaneous mooring of max size vessels to both berths are not permitted.
49.		JM-25	38,41	5,5	90,0		
50.		JM-26	100,16	9,0	185,0	Nr.18, 20.01.2020	Vessel in ballast to be berthed port side alongside.
51.		JM-27	54,00	7,8	135,0		1. In cases when berth JM-26 is occupied berthing/unberthing might be restricted. 2. Vessels with DW up to 18500t are allowed to berth at JM-27.
52.		JM-29	153,00	6,3	120,0	Nr.KR/217, 01.12.2022	-

53.	RĪGAS KUĢU BŪVĒTAVA	RKR-2	-	-	-	Nr.KR/29 27.01.2021	Mooring of vessels is not allowed.	
54.		RKR-3	70,00	-	-	Nr.7-1/2 28.06.2024		
55.		RKR-4	320,00	4,9	-		1. From the pier 0 - 200 m the draft is 5.4 m, but from 200 - 250 m – 4.9 m 2.Vessel's movements between floating dock and adjacent repair berths are allowed to be carried out under docking master command in accordance with Clause 72 of Cabinet of Ministers Regulation No. 77 of February 4, 2020 " Free Port of Riga Regulations"	
56.		RKR-5	265,70	3,8	125,0		Nr.7-1/1 10.01.2025	Vessel's movements between floating dock and adjacent repair berths are allowed to be carried out under docking master command in accordance with Clause 72 of Cabinet of Ministers Regulation No. 77 of February 4, 2020 " Free Port of Riga Regulations"
57.		RKR-6A	104,50	4,9	95,0			
58.		RKR-6	388,00	6,0	190,0	Nr.KR/37 08.02.2021	-	
59.		RKR-7	530,00	7,7	190,0	Nr.KR/109 28.06.2022	Vessel's movements between floating dock and adjacent repair berths are carried out under docking master command.	
60.		RKR-8	184,78	5,5	125,0	Nr.KR/215 01.12.2022	It is allowed to moor vessel stbd side alongside in position from 50's till 185's berth's meter.	
61.		RKR-9	247,55	-	-	Nr.KR/29 27.01.2021	Mooring of vessels is not allowed.	
62.	VECMĪLGRĀVIS	VM-3	60,00	-	-	Nr.KR/34 28.01.2021		Vessels up to LOA 230m are allowed to berth at VM-4/VM-5. For vessels with LOA over 140m berthing to be aligned with Freeport of Riga Authority in advance.
63.		VM-4	154,45	10,0	140,0			
64.		VM-5	131,00	10,0	110,0	Nr.19, 20.01.2020	Permission to berth the vessel to be obtained from Freeport of Riga Authority in advance.	
65.	MANGAĻU KUĢU REMONTA RŪPNĪCA	MKR-1	175,00	10,9	125,0	Nr.7-1/4, 14.11.2024	1. When using also the water area of berths MKR-2 and MKR-3 and their mooring equipment, it is permitted to moor a vessel with a maximum length of up to 230m and draft of up to 10.9m at berth MKR-1, provided that no other vessels are berthed at MKR-2 and MKR-3. 2. Vessels up to LOA 120m are allowed to berth at MKR-2 / MKR-3. 3. In case vessel is berthed at 2.6m wide floating pontoons draft increases to 7.2m.	
66.		MKR-2	100,00	6,5	90,0			
67.		MKR-3	100,00	6,5	100,0			
68.		MKR-4	114,00	5,5	100,0	Nr.KR/30, 27.01.2021	1. Vessels up to LOA 145m are allowed to berth at MKR-4/MKR-5. 2. Berth MKR-6 is only used for mooring floating dock No.419. 3. Berth MKR-8 is only used for mooring floating dock MTW. 4. Vessel's movements between floating dock and adjacent repair berths are carried out under docking master command.	
69.		MKR-5	115,00	6,0	100,0			
70.		MKR-6	184,30	-	-		1. Vessels up to LOA 145m are allowed to berth at MKR-4/MKR-5. 2. Berth MKR-6 is only used for mooring floating dock No.419. 3. Berth MKR-8 is only used for mooring floating dock MTW. 4. Vessel's movements between floating dock and adjacent repair berths are carried out under docking master command.	
71.		MKR-7	191,80	4,0	90,0			
72.		MKR-8	101,75	-	-			

73.	ZVEJAS OSTA	ZO-1	214,40	9,7	175,0	Nr.65, 25.07.2019	Vessels with DW up to 25000t are allowed to berth at ZO-1.
74.		ZO-2	252,90	11,5	210,0		Vessels with DW up to 30000t are allowed to berth at ZO-2.
75.		ZO-3	95,00	7,2	135,0	Nr.KR/33 28.01.2021	1. Vessel shall not be positioned closer than 15m from the beginning of the berth. 2. Vessels up to LOA 135m are allowed to berth at ZO-3/ZO-4. 3. Vessels up to LOA 135m are allowed to berth at ZO-4/ZO-5. 4. Vessels up to LOA 135m are allowed to berth at ZO-5/ZO-6. 5. Vessels up to LOA 135m are allowed to berth at ZO-6/ZO-7. 6. Vessels up to LOA 180m and beam up to 30m could be accepted at ZO basin. For vessels with LOA over 135m berthing/unberthing conditions to be agreed with harbour master in advance.
76.		ZO-4	100,00	7,3	135,0		1. Vessel shall not be positioned closer than 15m from the beginning of the berth. 2. Vessels up to LOA 135m are allowed to berth at ZO-3/ZO-4. 3. Vessels up to LOA 135m are allowed to berth at ZO-4/ZO-5. 4. Vessels up to LOA 135m are allowed to berth at ZO-5/ZO-6. 5. Vessels up to LOA 135m are allowed to berth at ZO-6/ZO-7. 6. Vessels up to LOA 180m and beam up to 30m could be accepted at ZO basin. For vessels with LOA over 135m berthing/unberthing conditions to be agreed with harbour master in advance.
77.		ZO-5	100,00	7,3	135,0		
78.		ZO-6	100,00	7,3	135,0		
79.		ZO-7	100,00	7,3	135,0		
80.		ZO-8	99,80	6,0	80,0		-
81.		ZO-9	110,00	6,8	90,0	Nr.22, 20.01.2020	1. Vessels up to LOA 135m are allowed to berth at ZO-9/ZO-10. 2. Berthing with anchor at berth ZO-11 is not allowed.
82.		ZO-10	120,00	6,8	100,0		
83.		ZO-11	105,30	5,7	90,0		1. Vessels up to LOA 135m are allowed to berth at ZO-9/ZO-10. 2. Berthing with anchor at berth ZO-11 is not allowed.
84.		ZO-12	263,30	12,0	230,0	Nr.67, 25.11.2019	If berthed at special fender devices vessels permissible draft 14.0m.
85.		ZO-14	148,10	5,6	105,0	Nr.42, 07.01.2019	1. Shelter quay. 2. Berthing with anchor is not allowed.
86.		ZO-15	142,80	-	-	Nr.KR/23, 26.01.2021	Mooring of vessels is not allowed.
87.		ZO-17	80,00	7,0	120,0	Nr.7-1/3 03.07.2024	Vessel is moored to floating berth fastened to berth ZO-17.
88.		ZO-18	273,00	15,0	250,0	Nr.24, 20.01.2020	1. At Naftimpeks Ltd. cargo manifold vessels up to LOA 250m are allowed to berth at ZO-18. 2. At Neste Latvia Ltd. cargo manifold vessels up to LOA 170m are allowed to berth at ZO-18. 3. Vessels with DW up to 100000t are allowed to berth at ZO-18.
89.		ZO-19	100,00	14,1	235,0	Nr.KR/214, 01.12.2022	1. Permission to berth the vessel to be obtained from Freeport of Riga Authority in advance. 2. Breast lines, head and stern lines by mooring boat.
90.	AUDUPE	AU-1	195,00	4,0	80,0	Nr.43, 07.01.2019	Berthing/unberthing conditions to be agreed with harbour master in advance.

91.	MANGAĻSALA	MS-2	100,00	14,3	235,0	Nr.KR/231, 14.12.2022	Breast lines, head and stern lines by mooring boat.
92.		MS-10	229,00	6,0	120,0	Nr.KR/18, 26.01.2021	The conditions for mooring / unmooring of a vessels exceeding the specified length shall be agreed in advance with the harbour master.
93.		MS-11	118,93	6,2	120,0		
94.		MS-12	141,30	6,5	129,0		
95.		MS-13	188,00	6,5	120,0		
96.	ROŅU DĪKĪS	RD-1	158,60	6,7	120,0	Nr.27, 20.01.2020	
97.		RD-2	152,10	6,8	120,0		
98.		RD-3	145,00	6,8	120,0	Nr.33, 07.01.2019	
99.	VOLERI	VL-13	151,50	4,0	100,0	Nr.4, 16.02.2014	-
100.		VL-14	86,00	4,0	40,0	Nr.37, 15.10.2014	
101.		VL-17	52,00	-	-	Nr.KR/22, 26.01.2021	Mooring of vessels is not allowed.
102.	KRĒMERI	KR-21	140,35	5,7	115,0	Nr.7-1/2-2025, 14.07.2025	-
103.		KR-22	71,30	4,5	50,0	Nr.35, 07.01.2019	
104.		KR-24	105,30	6,9	90,0	Nr.KR/25, 01.02.2023	1. Vessels up to LOA 140m are allowed to berth at KR-24/KR-25. 2. In case vessel is berthed at 16m wide floating cranes vessels up to LOA 230m are allowed to berth at KR-24/KR-25 and draft 10.0m. 3. In case vessel is berthed at 16m wide floating cranes and 6m wide pontoons vessels up to LOA 230m are allowed to berth at KR-24/KR-25 and draft 13.2m.
105.		KR-25	101,30	6,9	90,0		
106.	LEJAS PODRAGS	LP-27	147,20	6,6	130,0	Nr.28, 20.01.2020	-
107.	DAUGAVGRĪVA	DG-1	203,00	10,5	190,0	Nr.29, 20.01.2020	Berthing/unberthing conditions to be agreed with harbour master in advance.
108.		DG-2	116,40	-	-	Nr.66, 25.11.2019	Berthing of vessels is not allowed.
109.		DG-19	150,00	5,5	120,0	Nr.30, 20.01.2020	Vessel's movements between floating dock and adjacent repair berths are carried out under docking master command.
110.		DG-20	160,80	5,5	120,0		
111.		DG-54	219,00	5,0	110,0	Nr.31, 20.01.2020	-
112.		DG-55	147,00	5,7	120,0		Vessels with draft exceeding 5.7m to be berthed at DG-55A only with use of not more than 50m of berth DG-55.
113.		DG-55A	74,80	6,4	100,0		
114.		DG-56	111,60	6,5	120,0		-

115.	KRIEVU SALA	KRS-1	166,00	13,2	140,0	Nr.KR/26, 27.01.2021	Vessels up to LOA 230m are allowed to berth at KRS-1/KRS-2.
116.		KRS-2	167,30	13,2	140,0		
117.		KRS-3	249,81	12,1	225,0	Nr.7-1/5, 14.11.2024	1.Permission to berth the vessel to be obtained from Freeport of Riga Authority in advance. 2. For vessels with LOA over 225m berthing to be aligned with berth's KRS-2 and KRS-4 operators in advance.
118.		KRS-4	263,00	14,8	235,0	Nr.KR/6 14.01.2022	1.Vessels up to LOA 260m are allowed to berth at KRS-4/KRS-5. 2.The conditions for mooring / unmooring of a vessels exceeding the specified length shall be agreed in advance with the harbour master. 3.Max draft is restricted to 13.5m for vessels to be swung around.
119.		KRS-5	262,00	14,8	235,0		
120.		KRS-6	327,00	14,8	260,0	Nr.KR/8 14.01.2022	1.The conditions for mooring / unmooring of a vessels exceeding the specified length shall be agreed in advance with the harbour master. 2.Max draft is restricted to 13.5m for vessels to be swung around.
121.		KRS-7	328,52	14,8	260,0		
122.	VARMAS	VARMA	69,39	7,2	90,0	Nr.KR/224 12.12.2022	1. Berthing port side alongside. 2. Vessel is not to be berthed closer than 10m from berth VARMA and LOCU connection.
123.	LOČU	LOCU	72,00	3,5	25,0	-	-

3. Berth/Terminal specialization

No.	Specialization of the terminal/berth	Berth's Number
1.	Liquid bulk Cargoes	JM-15, JM-15A, JM-16, JM-20, JM-26, JM-27, JM-29, KS-28, SD-5, ZO-17, ZO-18
2.	General and Bulk Cargoes except Coal Cargoes	DG-1, DG-54, DG-55, DG-55A, DG-56, DS-9, DS-10, EO-11, EO-12, EO-14, EO-15, JM-17, JM-22, JM-23, JM-25, JM-25A, JM-29, KR-21, KR-24, KR-25, KRS-1, KRS-2, KRS-3, KRS-4, KRS-5, KRS-6, KRS-7, KS-29, KS-30, MKR-1, MKR-2, MKR-3, MS-2, MS-10, MS-11, MS-12, MS-13, PM-16, PM-17, PM-18, PM-19, PM-20, PM-21, RD-1, RD-2, RD-3, RKR-7, RKR-8, SD-3, SD-4, VM-3, VM-4, ZO-1, ZO-2, ZO-3, ZO-4, ZO-5, ZO-6, ZO-7, ZO-8, ZO-9, ZO-10, ZO-11, ZO-12, ZO-19
3.	Coal Cargoes	DG-1, KRS-4, KRS-5, KRS-6, KRS-7, MS-2, ZO-19
4.	Fertilizer	KS-36, KS-36A
5.	Passenger and/or Ro-Ro	AS-3, AS-4, EO-6, EO-7, EO-8, EO-9, EO-10, JPS-1, JPS-2, KS-32, MK-3, MK-4, MKR-1
6.	Containers	KS-32, KS-33, KS-34, ZO-1, ZO-2
7.	LPG	LP-27
8.	Ship Repair	DG-19, MKR-4, MKR-5, MKR-6, MKR-7, MKR-8, RKR-3, RKR-4, RKR-5, RKR-6, RKR-6A, RKR-8, RKR-9, VL-13 , JM-17
9.	Port Service Vessels	DS-11, DS-12, JM-20, LOCU, VARMA, VM-5
10.	Temporary, Shelter or Emergency berths without equipment	AO, AO-1, AO-2, AU-1, DS-11, DS-12, KR-22, RKR-2, VL-17, ZO-14, ZO-15
11.	Ministry of Environmental Protection and Regional Development	VL-14